

1337 S. 46th Street Building 201 Richmond, CA 94804

Subject: Analytical Testing Results - Project R07S28

SDG: 07187C

From: Brenda Bettencourt, Director

EPA Region 9 Laboratory

MTS-2

To: Chris Lichens

Site Cleanup Section 4

SFD-7-4

Attached are the results from the analysis of samples from the **Omega Chemical OU2 Winter 2007 IDW Profiling** project. These data have been reviewed in accordance with EPA Region 9 Laboratory policy.

A full documentation package for these data, including raw data and sample custody documentation, is on file at the EPA Region 9 Laboratory. If you would like to request additional review and/or validation of the data, please contact Eugenia McNaughton at the Region 9 Quality Assurance Office.

If you have any questions, please ask for Richard Bauer, the Lab Project Manager at (510)412-2300.

Analyses included in this

TPH - Extractable



1337 S. 46th Street, Building 201, Richmond, CA 94804 Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager: Chris Lichens **Site Cleanup Section 4 SDG:** 07187C

Reported: 07/12/07 17:00 Project Number: R07S28 75 Hawthorne Street San Francisco CA, 94105

Project: Omega Chemical OU2 Winter 2007 IDW

Profiling

ANALYTICAL REPORT FOR SAMPLES

THE THE TELL OUT TOWN STEWN ELS				
Sample ID	Laboratory ID	Matrix	Date Collected	Date Received
OC2-MW30IDW-W-0-572	0707006-01	Water	07/05/07 11:30	07/06/07 10:00
OC2-MW27IDW-W-0-573	0707006-02	Water	07/05/07 12:30	07/06/07 10:00
OC2-MW26IDW-W-0-574	0707006-03	Water	07/05/07 14:30	07/06/07 10:00
OC2-MW23IDW-W-0-575	0707006-04	Water	07/05/07 15:30	07/06/07 10:00
OC2-MW24IDW-W-0-576	0707006-05	Water	07/05/07 16:30	07/06/07 10:00

0707006 FINAL 07 12 07 1700 Page 1 of 4



1337 S. 46th Street, Building 201, Richmond, CA 94804 Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager: Chris Lichens **Site Cleanup Section 4 SDG:** 07187C

Reported: 07/12/07 17:00 Project Number: R07S28 75 Hawthorne Street

Project: Omega Chemical OU2 Winter 2007 IDW

Profiling

San Francisco CA, 94105

Sample Results

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Batch	Prepared	Analyzed	Method
Lab ID: 0707006-01							Water - S	ampled: 07/05/07 11:30
Sample ID: OC2-MW30IDW-W-0-572					Extractab	le Petroleum H	ydrocarbons	by EPA Method 8015B
TPH as Diesel	220	C1, F1, Q7, J	250	ug/L	B7G0022	07/09/07	07/10/07	8015B/SOP385
TPH as Motor Oil	640	C1, Q7, J	1000	"	"	"	"	8015B/SOP385
Surrogate: Hexacosane	163	<i>Q</i> 7	68 %	70-130%	"	"	"	
Lab ID: 0707006-02							Water - S	ampled: 07/05/07 12:30
Sample ID: OC2-MW27IDW-W-0-573					Extractab	le Petroleum H	ydrocarbons	by EPA Method 8015B
TPH as Diesel	ND	U	240	ug/L	B7G0022	07/09/07	07/10/07	8015B/SOP385
TPH as Motor Oil	ND	U	950	"	"	"	"	8015B/SOP385
Surrogate: Hexacosane	182		77 %	70-130%	"	"	"	
Lab ID: 0707006-03							Water - S	ampled: 07/05/07 14:30
Sample ID: OC2-MW26IDW-W-0-574					Extractab	le Petroleum H	ydrocarbons	by EPA Method 8015B
TPH as Diesel	120	C1, F1, J	240	ug/L	B7G0022	07/09/07	07/10/07	8015B/SOP385
TPH as Motor Oil	560	C1, J	950	"	"	"	"	8015B/SOP385
Surrogate: Hexacosane	173		73 %	70-130%	"	"	"	
Lab ID: 0707006-04							Water - S	ampled: 07/05/07 15:30
Sample ID: OC2-MW23IDW-W-0-575					Extractab	le Petroleum H	ydrocarbons	by EPA Method 8015B
TPH as Diesel	2500	F1, J, Q7	240	ug/L	B7G0022	07/09/07	07/10/07	8015B/SOP385
TPH as Motor Oil	2200	J, Q7	950	"	"	"	"	8015B/SOP385
Surrogate: Hexacosane	147	Q 7	62 %	70-130%	"	"	"	
Lab ID: 0707006-05							Water - S	ampled: 07/05/07 16:30
Sample ID: OC2-MW24IDW-W-0-576					Extractab	le Petroleum H	ydrocarbons	by EPA Method 8015B
TPH as Diesel	ND	U	240	ug/L	B7G0022	07/09/07	07/10/07	8015B/SOP385
TPH as Motor Oil	ND	U	950	"	"	"	"	8015B/SOP385
Surrogate: Hexacosane	195		82 %	70-130%	"	"	"	

0707006 FINAL 07 12 07 1700 Page 2 of 4



1337 S. 46th Street, Building 201, Richmond, CA 94804 Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager: Chris Lichens **Site Cleanup Section 4 SDG:** 07187C

Reported: 07/12/07 17:00 Project Number: R07S28

Project: Omega Chemical OU2 Winter 2007 IDW

Profiling

75 Hawthorne Street San Francisco CA, 94105

Quality Control

Analyte	Result	Qualifiers / Comments	Quantitation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
							Prepare	d: 07/09/07 A	Analyzed: 0	7/10/07
Batch B7G0022 - 3520B CLLE - TPH -				Extractal	ole Petroleu	m Hydrocarbo	ons by EPA	Method 8015	B - Quality	Control
Extractable										
Blank (B7G0022-BLK1)										
TPH as Diesel	ND	U	250	ug/L						
TPH as Motor Oil	ND	U	1000	"						
Surrogate: Hexacosane	193			"	250		77	70-130		
LCS (B7G0022-BS1)										
TPH as Diesel	2140		250	ug/L	2500		86	70-130		
Surrogate: Hexacosane	194			"	250		78	70-130		
Matrix Spike (B7G0022-MS1)	Sour	ce: 0707006-05								
TPH as Diesel	4190		470	ug/L	4690	ND	89	70-130		
Surrogate: Hexacosane	371			"	469		79	70-130		
Matrix Spike Dup (B7G0022-MSD1)	Sour	ce: 0707006-05								
TPH as Diesel	4230		480	ug/L	4830	ND	88	70-130	1	25
Surrogate: Hexacosane	383			"	483		79	70-130		

0707006 FINAL 07 12 07 1700 Page 3 of 4



1337 S. 46th Street, Building 201, Richmond, CA 94804 Phone:(510) 412-2300 Fax:(510) 412-2302

Project Manager: Chris Lichens Site Cleanup Section 4 SDG: 07187C

Project Number: R07S28 75 Hawthorne Street Reported: 07/12/07 17:00

Project: Omega Chemical OU2 Winter 2007 IDW San Francisco CA, 94105

Profiling

Qualifiers and Comments

Q7 Surrogate spike recoveries for this sample were outside control limits.

J The reported result for this analyte should be considered an estimated value.

F1 The sample chromatographic pattern does not resemble the fuel standard used for quantitation.

C1 The reported concentration for this analyte is below the quantitation limit.

U Not Detected

NR Not Reported

0707006 FINAL 07 12 07 1700 Page 4 of 4